

HAZARD RATING

4-EXTREME
3-HIGH
2-MODERATE
1-SLIGHT
0-INSIGNIFICANT

**MATERIAL SAFETY DATA SHEET**

(Prepared according to 29 CFR 1910. 1200)

Date Prepared: 2-20-02

SECTION 1 - PRODUCT IDENTIFICATION

Company Name *Daley International (Candy-Peck's Division)* Emergency Telephone No. 800-535-5053
 Address 2515 W. 35th Street, Chicago, IL 60632-1001 Information Telephone No. 773-523-8320
 Product Name / ID# *Liquid Dust Control (657)* Product Type Dust Mop Treatment Proprietary Product

SECTION 2 - HAZARDOUS INGREDIENTS

Chemical Name/Common Name	Cas No.	Percent (optional)	TLV (Source)
Petroleum Distillate / Mineral Seal Oil	64741-44-2	< 95%	5mg/m3 (TWA)
Mineral Spirits	8052-41-3	< 10%	Oil Mist (ACGIH) 10mg/m3 (STEL) 100ppm

* Substances Contains no substances - subject to the reporting requirements of SARA 313 and 40 CFR Part 372.

SECTION 3 - PHYSICAL DATA

Boiling Point (°F) >410°F Specific Gravity (H₂O=1.0) 0.79 ± 0.005 pH NA % VOC (ww) 7.5 %
 Solubility In Water Complete Insoluble Emulsifiable or (Dispersible) Slight (or Partial)
 Evaporation Rate (vs H₂O) Faster Slower About the Same Vapor Pressure NE Vapor Density NE
 Appearance and Odor Clear liquid. Slight banana odor.

SECTION 4 - FIRE AND EXPLOSION HAZARD DATA

Flash Point (T.C.C.) > 100°F None to boiling **Flammable Limits** Upper NE Lower NE
 Extinguishing Media Carbon Dioxide, dry chemical or foam. Use water spray only to cool container.
 Special Fire Fighting Procedures None
 Unusual Fire Explosion Hazards None

SECTION 5 - REACTIVE DATA

Stability Stable Incompatibility Strong oxidizers.
 Hazardous Decomposition Products Burning may yield carbon dioxide and /or carbon monoxide.

SECTION 6 - HEALTH HAZARDS

Threshold Limit Value Product See Section 2 for Ingredients TLV None Established Not Applicable Primary routes of Exposure Eyes Skin Oral Inhalation
 Signs Symptoms of Over-exposure (Acute) Irritation to eyes and skin. Inhalation- nasal and respiratory irritation. Inhalation or ingestion- headache, nausea, drowsiness, fatigue. Ingestion - possible narcosis.

Signs Symptoms of Over-exposure (Chronic) Dermatitis, pneumonitis, pulmonary edema, peripheral nervous system effects and kidney damage.

Medical Conditions Aggravated by Over-exposure Impaired pulmonary function, especially those with impaired airway diseases.

Carcinogen/Suspected Carcinogen Ingredients: NTP IARC OSHA None

SECTION 7 - FIRST AID PROCEDURES - (If any Condition persists - Consult a physician.)

Eyes Flush with water for at least 15 minutes.
 Skin Remove contaminated clothing. Wash with mild soap and water.
 Ingestion DO NOT INDUCE VOMITING. Call physician immediately.
 Inhalation Remove victim to fresh air. If qualified, give artificial respiration and seek medical attention.

SECTION 8 - SPECIAL PROTECTION INFORMATION

Respiratory Protection Organic vapor respirator.
 Ventilation requirements Local Exhaust Mechanical As needed to keep below any listed TLV or for general good ventilation.
 Protective Gloves Nitrile PVC or Neoprene gloves. Eye Protection Safety goggles/glasses.
 Other Protective Clothing Chemical apron when handling large volumes.

SECTION 9 - SPILL OR LEAK PROCEDURES

Steps to be Taken if Released or Spilled Contain spill. Remove sources of ignition. Pick up with inert absorbent and place in container for disposal.

Waste Disposal Methods Approved sanitary landfill or incineration. Check all government regulations.

SECTION 10 - STORAGE AND HANDLING INFORMATION

Precautions to be Taken in handling and Storage Keep away from sparks or flame. Do not store near strong oxidizers. Keep out of reach of children. Wash thoroughly after handling.